

ESTIMATE



Prepared For

Theresa Rutherford
1011 N Main St
Lapel, In
(765) 208-5896

Tradesmen Concrete

2302 Boneset Dr
Plainfield, IN 46168
Phone: (317) 800-3630
Email: office@tradesmenconcrete.com

Estimate # 1489

Date 10/06/2026

Description

Rate

Concrete - Remove and Replace (Broom Finish)	\$1,200.00
--	------------

102 Ford

1. Remove 100 square ft of concrete up to 4". Haul away and dispose of debris.

Approximate Dimensions: 20x5

2. Grade existing sub base. Add additional aggregate as needed. Compact in place.

3. Form pour and finish 100 square ft of new concrete with an average depth of 4". Concrete to be poured in a broom finish.

4. All work performed is to be in accordance with BAGI standards.

- 4000 PSI
- Fiber mesh added
- Expansion foam will be installed when abutting permanent structure. (Curbs, Garage floors, Foundations)
- Dowel into existing concrete as needed.
- 1 year warranty.

Concrete - Remove and Replace (Broom Finish)	\$760.00
--	----------

607 Ford

1. Remove 60 square ft of concrete up to 4". Haul away and dispose of debris.

Approximate Dimensions: 12x5

2. Grade existing sub base. Add additional aggregate as needed. Compact in place.

3. Form pour and finish 60 square ft of new concrete with an average depth of 4". Concrete to be poured in a broom finish.

4. All work performed is to be in accordance with BAGI standards.

- 4000 PSI
- Fiber mesh added
- Expansion foam will be installed when abutting permanent structure. (Curbs, Garage floors, Foundations)
- Dowel into existing concrete as needed.
- 1 year warranty.

Concrete - Remove and Replace (Broom Finish)	\$958.00
--	----------

617 Ford

1. Remove 78 square ft of concrete up to 4". Haul away and dispose of debris.

Approximate Dimensions: 15.5x5

2. Grade existing sub base. Add additional aggregate as needed. Compact in place.

3. Form pour and finish 78 square ft of new concrete with an average depth of 4". Concrete to be poured in a broom finish.

4. All work performed is to be in accordance with BAGI standards.

- 4000 PSI

- Fiber mesh added
 - Expansion foam will be installed when abutting permanent structure. (Curbs, Garage floors, Foundations)
 - Dowel into existing concrete as needed.
 - 1 year warranty.
-

Concrete - Remove and Replace (Broom Finish) \$2,630.00
 516 Ford

1. Remove 230 square ft of concrete up to 4". Haul away and dispose of debris.

Approximate Dimensions: 46x5

2. Grade existing sub base. Add additional aggregate as needed. Compact in place.

3. Form pour and finish 230 square ft of new concrete with an average depth of 4". Concrete to be poured in a broom finish.

4. All work performed is to be in accordance with BAGI standards.

- 4000 PSI
 - Fiber mesh added
 - Expansion foam will be installed when abutting permanent structure. (Curbs, Garage floors, Foundations)
 - Dowel into existing concrete as needed.
 - 1 year warranty.
-

Concrete - Remove and Replace (Broom Finish) \$925.00
 428 Ford

1. Remove 75 square ft of concrete up to 4". Haul away and dispose of debris.

Approximate Dimensions: 15x5

2. Grade existing sub base. Add additional aggregate as needed. Compact in place.

3. Form pour and finish 75 square ft of new concrete with an average depth of 4". Concrete to be poured in a broom finish.

4. All work performed is to be in accordance with BAGI standards.

- 4000 PSI
 - Fiber mesh added
 - Expansion foam will be installed when abutting permanent structure. (Curbs, Garage floors, Foundations)
 - Dowel into existing concrete as needed.
 - 1 year warranty.
-

Concrete - Remove and Replace (Broom Finish) \$3,565.00

417 9th st

1. Remove 315 square ft of concrete up to 4". Haul away and dispose of debris.

Approximate Dimensions: 50x5

2. Grade existing sub base. Add additional aggregate as needed. Compact in place.

3. Form pour and finish 315 square ft of new concrete with an average depth of 4". Concrete to be poured in a broom finish.

4. All work performed is to be in accordance with BAGI standards.

- 4000 PSI
 - Fiber mesh added
 - Expansion foam will be installed when abutting permanent structure. (Curbs, Garage floors, Foundations)
 - Dowel into existing concrete as needed.
 - 1 year warranty.
-

Concrete - Remove and Replace (Broom Finish) \$2,850.00

214 9th st

1. Remove 250 square ft of concrete up to 4". Haul away and dispose of debris.

Approximate Dimensions: 50 x5

2. Grade existing sub base. Add additional aggregate as needed. Compact in place.

3. Form pour and finish 250 square ft of new concrete with an average depth of 4". Concrete to be poured in a broom finish.

4. All work performed is to be in accordance with BAGI standards.

- 4000 PSI
 - Fiber mesh added
 - Expansion foam will be installed when abutting permanent structure. (Curbs, Garage floors, Foundations)
 - Dowel into existing concrete as needed.
 - 1 year warranty.
-

Concrete - Remove and Replace (Broom Finish)

\$3,565.00

605 Central

1. Remove 315 square ft of concrete up to 4". Haul away and dispose of debris.

Approximate Dimensions: 63x5

2. Grade existing sub base. Add additional aggregate as needed. Compact in place.

3. Form pour and finish 315 square ft of new concrete with an average depth of 4". Concrete to be poured in a broom finish.

4. All work performed is to be in accordance with BAGI standards.

- 4000 PSI
 - Fiber mesh added
 - Expansion foam will be installed when abutting permanent structure. (Curbs, Garage floors, Foundations)
 - Dowel into existing concrete as needed.
 - 1 year warranty.
-

Subtotal	\$16,453.00
Total	\$16,453.00


Notes:

Estimator/ Project Manager- Marques (317)508-6663

















By signing this document, the customer agrees to the services and conditions outlined in this document.

Tradesmen Concrete

Theresa Rutherford